Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	75	(state same (respons\$4 or reply\$4)) and (HTTP adj server) and XML and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:44
L3	95	document\$4 with state and ((response or reply) same functionalit\$4) and (@ad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:11
L4	17	L3 and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:16
L5	16	L4 and request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:16
L6	2	709/202 and document\$4 with state and ((response or reply) same functionalit\$4) and (@ad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:11
S1 .		"6668271"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 08:23
S2	7	document\$4 with agent\$4 with state with XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:15
S3	58	document\$4 with agent\$4 and state with XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:23

S4	570	document\$4 with agent\$4 and state and object\$2 and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:24
S5	52	S4 and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/12/20 17:26
S6	52	S5 and vari\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:27
S7	46	S6 and http	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:28
S8	1	(agent adj card\$2) with object\$2 and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:44
S9	1	(agent\$2 near1 card\$2) and (state near1 object\$2) and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:45
S10	9090	(agent\$2 and card\$2) and (state and object\$2) and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:45
S11	6	(agent\$2 and card\$2) with (state and object\$2) and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 08:10

S12	15	(agent\$2 and document\$2) with (state and object\$2) and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 08:24
S13	14	S12 and (respons\$4 or reply\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 09:58
S14	4	"6668271"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2006/12/21 08:24
S15	141	"6012083"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 08:24
S16	65	S15 and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 09:07
S17	11	S16 and transform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 09:11
S18	4	S17 and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 09:11
S19	6	S16 and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 11:04

S20	53	S16 and (respons\$4 or reply\$4) and function\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 10:18
S21	34	S20 and configur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 10:54
S22	14	S20 and (stat\$3 near1 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 11:01
S23	0	document\$4 with state with ((response or reply) near1 functionalit\$4) and (@ad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 11:02
S24	1	document\$4 with state and ((response or reply) near1 functionalit\$4) and (@ad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 11:03
S25	95	document\$4 with state and ((response or reply) same functionalit\$4) and (@ad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 11:04
S26	17	S25 and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:16
S27	0	(state near1 (respons\$4 or reply\$4)) with (HTTP adj server) and XML and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 11:18

S28	0	(state same (respons\$4 or reply\$4)) with (HTTP adj server) and XML and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 11:18
S29	75	(state same (respons\$4 or reply\$4)) and (HTTP adj server) and XML and (@ad< "19990519" @rlad< "19990519")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:44